



Anforderungsstufe  
class



Date/Code




EN-Zone für durchkontaktierte  
Löcher  $\varnothing 0.6 \pm 0.05$   
compliant zone for through hole  
 $\varnothing 0.6 \pm 0.05$



Kontaktversionen, Messerkontakte  
Contact Selection Options, Male Contacts





Bestückungsplan - contact layout



Kontaktversionen, Schirmmesser  
Contact Selection Options, Shielding Contacts

Lochbild für Leiterplatte Board hole pattern  
(Bestückungsseite) (Component mounting side)



- 1)  $\varnothing 0.6 \pm 0.05$  Durchmesser des metallisierten Loches  
 $\varnothing 0.6 \pm 0.05$  Diameter of finished plated-through hole
- $\varnothing 0.7 \pm 0.02$  Bohrungsdurchmesser des Loches  
 $\varnothing 0.7 \pm 0.02$  Diameter of drilled hole

Schichtaufbau im metallisierten Loch  
siehe Zeichnung 114406  
Metal plating of plated-through hole  
see drawing 114406

Information: D + Y  
siehe Bestückungsplan  
see contact layout

Anforderungsstufe 2 / class 2

Information:  All rights reserved. Only for Information. To ensure that this is the latest version of this drawing, please contact one of the ERNI companies before using.	Tolerances  All Dimensions in mm	Scale 2:1	Designation <b>ERmetZD Messerleiste 3-10</b> <b>ERmetZD male connector 3-10</b>
	Subject to modification without prior notice. Drawing will not be updated.		
Copyright by ERNI GmbH Proprietary notice pursuant to ISO 16061 to be observed.	b Index	21.06.2012 Date	