






COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE



DRAWING FOR REFERENCE
This is subject to change without notice

NOTE
 1 REFERENCE IS A.
 2 LEAD CO-PLANARITY SHALL BE 0.1 MAX.
 3 THICKNESS OF SUPPORTING TAPE SHALL BE 0.188(7.5mil) MIN.

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
2	LCP	(BLACK)	4	BRASS	TIN PLATING 1μm MIN. OVER NICKEL 1μm MIN.
1	LCP	(GRAY)	3	PHOSPHOR BRONZE	GOLD PLATING FLASH OVER NICKEL 1μm MIN.



CODE NO. (OLD)	CL	DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
		U1.94V-0	H. TSUKUMO			
		U1.94V-0				

DRAWING NO.	EDC3-154339-01	PART NO.	FH28H-80S-0.5SH(05)
SCALE	5 : 1	CODE NO.	CL586-1805-3-05
UNITS	MM		

TO	NC
----	----


COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
1									
2									
3									

REEL DIMENSION (FREE)



DRAWING FOR REFERENCE
This is subject to change without notice

- NOTE 1 THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.
2 PER REEL : 2000 CONNECTORS.
3 REFER TO JIS C 0806 (PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING).



NO.	MATERIAL	FINISH, REMARKS	NO.	(CONNECTOR)	MATERIAL	FINISH, REMARKS
2	POLYESTER		4	(CONNECTOR)		
1	POLYSTYRENE		3	POLYSTYRENE		

DRAWING FOR PACKING

DRAWN: D. YAMADA 04-06-08
DESIGNED: H. TSUKUMO 04-06-08
CHECKED: *Mitsunobu Takayama* 04-06-08
APPROVED: *H. Takayama* 04-06-08
RELEASED: *ENG. DEPT.* 05.4.18

SCALE: 2 : 1
UNITS: MM

DRAWING NO. EDC3-154339-01
PART NO. FH28H-80S-0.5SH(05)
CODE NO. CL586-1805-3-05

HRS HIROSE ELECTRIC CO., LTD.

TO	
NC	