


## Specifications

- Current rating:5A AC,DC
- Voltage rating:250V AC,DC
- Temperature range:-40°C~+105°C
- Contact resistance:10mΩ Max.
- Insulation resistance:1000MΩ Min.
- Withstanding voltage:1500V AC/minute
- \*Compliant with RoHS and REACH\*
- \*Meet the HF/Halogen Free,GWT/Glow wire Test (IEC60335-1) request,need to customize\*
- \*Contact CJT for details\*



## Standards



## Assembly layout




## Panel hole layout




PART NO.		Dimensions	
SINGLE ROW	DUAL ROW	A	B
-----	C3030HM-2X1P	4.20	7.90
C3030HM-2P	C3030HM-2X2P	7.20	10.90
C3030HM-3P	C3030HM-2X3P	10.20	13.90
C3030HM-4P	C3030HM-2X4P	13.20	16.90
C3030HM-5P	C3030HM-2X5P	16.20	19.90
C3030HM-6P	C3030HM-2X6P	19.20	22.90
C3030HM-7P	C3030HM-2X7P	22.20	25.90
C3030HM-8P	C3030HM-2X8P	25.20	28.90
C3030HM-9P	C3030HM-2X9P	28.20	31.90
C3030HM-10P	C3030HM-2X10P	31.20	34.90
C3030HM-11P	C3030HM-2X11P	34.20	37.90
C3030HM-12P	C3030HM-2X12P	37.20	40.90

Unit:mm


## C3030HF




C3030HF




## C3030HM C3030HMA




C3030HM




C3030HMA




## C3030WV C3030WV-S C3030WV-S-F




C3030WV




C3030WV-S




C3030WV-S-F




## C3030WR C3030WR-S C3030WR-S-F




C3030WR




C3030WR-S




C3030WR-S-F




## C3030HF-2




C3030HF-2




## C3030HM-2 C3030HMA-2 C3030HMC-2




C3030HM-2




C3030HMC-2




C3030HMA-2




## C3030WV-2 C3030WV-S-2 C3030WV-S-F-2




C3030WV-2




C3030WV-S-2




C3030WV-S-F-2




## C3030WR-2 C3030WRA-2 C3030WRA-F-2 C3030WR-S-2 C3030WR-S-F-2




C3030WR-2




C3030WRA-2




C3030WRA-F-2




C3030WR-S-2



C3030WR-S-F-2




**C3030HFB-2**



C3030HFB-2

2x1P			2x12P
2x2P			2x11P
2x3P			2x10P
2x4P			2x9P
2x5P			2x8P
2x6P			2x7P

**C3030HMB-2**



C3030HMB-2


2x1P			2x12P
2x2P			2x11P
2x3P			2x10P
2x4P			2x9P
2x5P			2x8P
2x6P			2x7P

### C3030F-T-A

3.00mm pitch Crimp Terminal

#### Reference Informations:

\*Used in CJT C3030HF-2P~12P , C3030HF-2x1P~2x6P series Housing



#### Ordering information & Specifications:

Unit:mm

Part NO	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
C3030F-TP-A	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Tin over Nickel	10,000 PCS
C3030F-GP-A	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Gold over Nickel	10,000 PCS


Optional Gold plating available but MOQ requested

### C3030F-T-A-L

3.00mm pitch Crimp Terminal

#### Reference Informations:

\*Used in CJT C3030HF-2P~12P , C3030HF-2x1P~2x6P series Housing



#### Ordering information & Specifications:

Unit:mm

Part NO	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
C3030F-TP-A-L	AWG#26-#30	1.27mm(max)	Phosphor Bronze	Tin over Nickel	15,000 PCS
C3030F-GP-A-L	AWG#26-#30	1.27mm(max)	Phosphor Bronze	Gold over Nickel	15,000 PCS


Optional Gold plating available but MOQ requested

### C3030F-T-B

3.00mm pitch Crimp Terminal

#### Reference Informations:

\*Used in CJT C3030HF-2x7P~2x12P series Housing



#### Ordering information & Specifications:

Unit:mm

Part NO	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
C3030F-TP-B	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Tin over Nickel	10,000 PCS
C3030F-GP-B	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Gold over Nickel	10,000 PCS


Optional Gold plating available but MOQ requested

### C3030F-T-B-L

3.00mm pitch Crimp Terminal

#### Reference Informations:

\*Used in CJT C3030HF-2x7P~2x12P series Housing



#### Ordering information & Specifications:

Unit:mm

Part NO	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
C3030F-TP-B-L	AWG#26-#30	1.27mm(max)	Phosphor Bronze	Tin over Nickel	10,000 PCS
C3030F-GP-B-L	AWG#26-#30	1.27mm(max)	Phosphor Bronze	Gold over Nickel	10,000 PCS


Optional Gold plating available but MOQ requested

### C3030M-T

3.00mm pitch Crimp Terminal

**Reference Informations:**

\*Used in CJT C3030HM series Housing



**Ordering information & Specifications:**

Unit:mm

Part NO	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
C3030M-TP	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Tin over Nickel	10,000 PCS
C3030M-GP	AWG#20-#24	1.85mm(max)	Phosphor Bronze	Gold over Nickel	10,000 PCS


Optional Gold plating available but MOQ requested

### C3030M-T-L

3.00mm pitch Crimp Terminal

**Reference Informations:**

\*Used in CJT C3030HM series Housing



**Ordering information & Specifications:**

Unit:mm

Part NO	Wire Range	Insulation O.D.	Material	Finish	Qty/reel
C3030M-TP-L	AWG#26-#30	1.27mm(max)	Phosphor Bronze	Tin over Nickel	15,000 PCS
C3030M-GP-L	AWG#26-#30	1.27mm(max)	Phosphor Bronze	Gold over Nickel	15,000 PCS

Optional Gold plating available but MOQ requested







## C3030HF


3.00mm Pitch Single Row Housing

### Reference Informations:

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT C3030F series Terminal
- \*Mates with CJT C3030HM,C3030HMA series Single row Housing or C3030 series single row Wafer
- \*Color:Black



3P~12P



2P

Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
C3030HF-2P	3.00	6.80
C3030HF-3P	6.00	9.80
C3030HF-4P	9.00	12.80
C3030HF-5P	12.00	15.80
C3030HF-6P	15.00	18.80
C3030HF-7P	18.00	21.80
C3030HF-8P	21.00	24.80
C3030HF-9P	24.00	27.80
C3030HF-10P	27.00	30.80
C3030HF-11P	30.00	33.80
C3030HF-12P	33.00	36.80




Unit: mm

## C3030HM

3.00mm Pitch Single Row Housing

### Reference Informations:

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT C3030M series Terminal
- \*Mates with CJT C3030HF series single row Housing
- \*Color:Black



Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
C3030HM-2P	3.00	6.85
C3030HM-3P	6.00	9.85
C3030HM-4P	9.00	12.85
C3030HM-5P	12.00	15.85
C3030HM-6P	15.00	18.85
C3030HM-7P	18.00	21.85
C3030HM-8P	21.00	24.85
C3030HM-9P	24.00	27.85
C3030HM-10P	27.00	30.85
C3030HM-11P	30.00	33.85
C3030HM-12P	33.00	36.85





Unit: mm

### C3030HMA

3.00mm pitch Single Row Housing

**Reference Informations:**

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT C3030M series Terminal
- \*Mates with CJT C3030HF series single row Housing
- \*Color:Black



**Ordering Information & Dimensions:**

PART NO.	Dimensions	
	A	B
C3030HMA-2P	3.00	6.85
C3030HMA-3P	6.00	9.85
C3030HMA-4P	9.00	12.85
C3030HMA-5P	12.00	15.85
C3030HMA-6P	15.00	18.85
C3030HMA-7P	18.00	21.85
C3030HMA-8P	21.00	24.85
C3030HMA-9P	24.00	27.85
C3030HMA-10P	27.00	30.85
C3030HMA-11P	30.00	33.85
C3030HMA-12P	33.00	36.85







Unit: mm

### C3030HF-2

3.00mm pitch Dual Row Housing

**Reference Informations:**

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT C3030F series Terminal
- \*Mates with CJT C3030HM,C3030HMA series dual row Housing or C3030 series dual row Wafer
- \*Color:Black



**Ordering Information & Dimensions:**

PART NO.	Dimensions	
	A	B
C3030HF-2x1P	-----	3.85
C3030HF-2x2P	3.00	6.85
C3030HF-2x3P	6.00	9.85
C3030HF-2x4P	9.00	12.85
C3030HF-2x5P	12.00	15.85
C3030HF-2x6P	15.00	18.85
C3030HF-2x7P	18.00	21.85
C3030HF-2x8P	21.00	24.85
C3030HF-2x9P	24.00	27.85
C3030HF-2x10P	27.00	30.85
C3030HF-2x11P	30.00	33.85
C3030HF-2x12P	33.00	36.85





Unit: mm

## C3030HM-2

3.00mm pitch Dual Row Housing

### Reference Informations:

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT C3030M series Terminal
- \*Mates with CJT C3030HF series dual row Housing
- \*Color:Black



### Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
C3030HM-2x1P	-----	3.85
C3030HM-2x2P	3.00	6.85
C3030HM-2x3P	6.00	9.85
C3030HM-2x4P	9.00	12.85
C3030HM-2x5P	12.00	15.85
C3030HM-2x6P	15.00	18.85
C3030HM-2x7P	18.00	21.85
C3030HM-2x8P	21.00	24.85
C3030HM-2x9P	24.00	27.85
C3030HM-2x10P	27.00	30.85
C3030HM-2x11P	30.00	33.85
C3030HM-2x12P	33.00	36.85





Unit: mm

## C3030HM-2-A

3.00mm pitch Dual Row Housing

### Reference Informations:

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT C3030M series Terminal
- \*Mates with CJT C3030HF series dual row Housing
- \*Color:Black



### Ordering Information & Dimensions:

P-AART NO.	Dimensions	
	A	B
C3030HM-2x1P-A	-----	3.85
C3030HM-2x2P-A	3.00	6.85
C3030HM-2x3P-A	6.00	9.85
C3030HM-2x4P-A	9.00	12.85
C3030HM-2x5P-A	12.00	15.85
C3030HM-2x6P-A	15.00	18.85
C3030HM-2x7P-A	18.00	21.85
C3030HM-2x8P-A	21.00	24.85
C3030HM-2x9P-A	24.00	27.85
C3030HM-2x10P-A	27.00	30.85
C3030HM-2x11P-A	30.00	33.85
C3030HM-2x12P-A	33.00	36.85



Unit: mm

### C3030HMA-2

3.00mm pitch Dual Row Housing

**Reference Informations:**

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT C3030M series Terminal
- \*Mates with CJT C3030HF series dual row Housing
- \*Color:Black



**Ordering Information & Dimensions:**

PART NO.	Dimensions	
	A	B
C3030HMA-2x1P	-----	3.85
C3030HMA-2x2P	3.00	6.85
C3030HMA-2x3P	6.00	9.85
C3030HMA-2x4P	9.00	12.85
C3030HMA-2x5P	12.00	15.85
C3030HMA-2x6P	15.00	18.85
C3030HMA-2x7P	18.00	21.85
C3030HMA-2x8P	21.00	24.85
C3030HMA-2x9P	24.00	27.85
C3030HMA-2x10P	27.00	30.85
C3030HMA-2x11P	30.00	33.85
C3030HMA-2x12P	33.00	36.85



Unit: mm

### C3030HMC-2

3.00mm pitch Dual Row Housing

**Reference Informations:**

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT C3030M series Terminal
- \*Mates with CJT C3030HF series dual row Housing
- \*Color:Black



**Ordering Information & Dimensions:**

PART NO.	Dimensions	
	A	B
C3030HMC-2x1P	-----	3.85
C3030HMC-2x2P	3.00	6.85
C3030HMC-2x3P	6.00	9.85
C3030HMC-2x4P	9.00	12.85
C3030HMC-2x5P	12.00	15.85
C3030HMC-2x6P	15.00	18.85
C3030HMC-2x7P	18.00	21.85
C3030HMC-2x8P	21.00	24.85
C3030HMC-2x9P	24.00	27.85
C3030HMC-2x10P	27.00	30.85
C3030HMC-2x11P	30.00	33.85
C3030HMC-2x12P	33.00	36.85

Unit: mm

### C3030WV









3.00mm pitch 180° Single Row Wafer

#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: Nylon 66, UL94V-0
- \*Mates with CJT C3030HF series single row Housing
- \*Color: Black

Ordering Information:  
C3030WV-XP - \* - \*  
1 2 3

1. Part No.
2. Style:  
(blank) : Type 1  
2 : Type 2  
3 : Type 3
3. Finish  
(blank) : Tin over Nickel  
G : Gold over Nickel



#### Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
C3030WV-2P	3.00	9.65
C3030WV-3P	6.00	12.65
C3030WV-4P	9.00	15.65
C3030WV-5P	12.00	18.65
C3030WV-6P	15.00	21.65
C3030WV-7P	18.00	24.65
C3030WV-8P	21.00	27.65
C3030WV-9P	24.00	30.65
C3030WV-10P	27.00	33.65
C3030WV-11P	30.00	36.65
C3030WV-12P	33.00	39.65

Unit: mm

### C3030WV-S






3.00mm pitch 180° Single Row Wafer-SMT TYPE

#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: LCP, UL94V-0
- \*Mates with CJT C3030HF series single row Housing
- \*Color: Black

Ordering Information:  
C3030WV-S-XP - \* - \*  
1 2

1. Part No.
2. Finish  
(blank) : Tin over Nickel  
G : Gold over Nickel



#### Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030WV-S-2P	3.00	9.65	14.20
C3030WV-S-3P	6.00	12.65	17.20
C3030WV-S-4P	9.00	15.65	20.20
C3030WV-S-5P	12.00	18.65	23.20
C3030WV-S-6P	15.00	21.65	26.20
C3030WV-S-7P	18.00	24.65	29.20
C3030WV-S-8P	21.00	27.65	32.20
C3030WV-S-9P	24.00	30.65	35.20
C3030WV-S-10P	27.00	33.65	38.20
C3030WV-S-11P	30.00	36.65	41.20
C3030WV-S-12P	33.00	39.65	44.20

Unit: mm

### C3030WV-S-F

3.00mm pitch 180° Single Row Wafer SMT TYPE





#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: LCP, UL94V-0
- \*Mates with CJT C3030HF series single row Housing
- \*Color: Black

Ordering Information:

C3030WV-S-F-XP -  $\frac{+}{-}$   
1 2

1. Part No.
2. Finish  
(blank) : Tin over Nickel  
G : Gold over Nickel



Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030WV-S-F-2P	3.00	9.65	7.30
C3030WV-S-F-3P	6.00	12.65	10.30
C3030WV-S-F-4P	9.00	15.65	13.30
C3030WV-S-F-5P	12.00	18.65	16.30
C3030WV-S-F-6P	15.00	21.65	19.30
C3030WV-S-F-7P	18.00	24.65	22.30
C3030WV-S-F-8P	21.00	27.65	25.30
C3030WV-S-F-9P	24.00	30.65	28.30
C3030WV-S-F-10P	27.00	33.65	31.30
C3030WV-S-F-11P	30.00	36.65	34.30
C3030WV-S-F-12P	33.00	39.65	37.30

Unit: mm

### C3030WR

3.00mm pitch 90° Single Row Wafer






#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: Nylon 66, UL94V-0
- \*Mates with CJT C3030HF series single row Housing
- \*Color: Black

Ordering Information:

C3030WR-XP -  $\frac{+}{-}$   
1 2

1. Part No.
2. Finish  
(blank) : Tin over Nickel  
G : Gold over Nickel



Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
C3030WR-2P	3.00	9.65
C3030WR-3P	6.00	12.65
C3030WR-4P	9.00	15.65
C3030WR-5P	12.00	18.65
C3030WR-6P	15.00	21.65
C3030WR-7P	18.00	24.65
C3030WR-8P	21.00	27.65
C3030WR-9P	24.00	30.65
C3030WR-10P	27.00	33.65
C3030WR-11P	30.00	36.65
C3030WR-12P	33.00	39.65

Unit: mm

### C3030WR-S

3.00mm pitch 90° Single Row Wafer SMT TYPE



#### Reference Informations:

- \*Material:Pin:Brass/Tin over Nickel  
Insulator:LCP,UL94V-0
- \*Mates with CJT C3030HF series single row Housing
- \*Color:Black

Ordering Information:

C3030WR-S-XP - \*  
1 2


- 1.Part No.
- 2.Finish
- (blank) :Tin over Nickel
- G :Gold over Nickel



Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030WR-S-2P	3.00	9.65	14.20
C3030WR-S-3P	6.00	12.65	17.20
C3030WR-S-4P	9.00	15.65	20.20
C3030WR-S-5P	12.00	18.65	23.20
C3030WR-S-6P	15.00	21.65	26.20
C3030WR-S-7P	18.00	24.65	29.20
C3030WR-S-8P	21.00	27.65	32.20
C3030WR-S-9P	24.00	30.65	35.20
C3030WR-S-10P	27.00	33.65	38.20
C3030WR-S-11P	30.00	36.65	41.20
C3030WR-S-12P	33.00	39.65	44.20

Unit: mm



### C3030WR-S-F

3.00mm pitch 90° Single Row Wafer SMT TYPE



#### Reference Informations:

- \*Material:Pin:Brass/Tin over Nickel  
Insulator:LCP,UL94V-0
- \*Mates with CJT C3030HF series single row Housing
- \*Color:Black

Ordering Information:

C3030WR-S-F-XP - \*  
1 2


- 1.Part No.
- 2.Finish
- (blank) :Tin over Nickel
- G :Gold over Nickel



Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030WR-S-F-2P	3.00	9.65	7.30
C3030WR-S-F-3P	6.00	12.65	10.30
C3030WR-S-F-4P	9.00	15.65	13.30
C3030WR-S-F-5P	12.00	18.65	16.30
C3030WR-S-F-6P	15.00	21.65	19.30
C3030WR-S-F-7P	18.00	24.65	22.30
C3030WR-S-F-8P	21.00	27.65	25.30
C3030WR-S-F-9P	24.00	30.65	28.30
C3030WR-S-F-10P	27.00	33.65	31.30
C3030WR-S-F-11P	30.00	36.65	34.30
C3030WR-S-F-12P	33.00	39.65	37.30

Unit: mm



### C3030WV-2






3.00mm pitch 180° Dual Row Wafer

#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: Nylon 66, UL94V-0
- \*Mates with CJT C3030HF series dual row Housing
- \*Color: Black

Ordering Information:  
C3030WV-2xXP - \*  
1 2




1. Part No.
2. Style:  
(blank) : Type 1  
2 : Type 2  
3 : Type 3
3. Finish  
(blank) : Tin over Nickel  
G : Gold over Nickel



Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
C3030WV-2x1P	-----	6.65
C3030WV-2x2P	3.00	9.65
C3030WV-2x3P	6.00	12.65
C3030WV-2x4P	9.00	15.65
C3030WV-2x5P	12.00	18.65
C3030WV-2x6P	15.00	21.65
C3030WV-2x7P	18.00	24.65
C3030WV-2x8P	21.00	27.65
C3030WV-2x9P	24.00	30.65
C3030WV-2x10P	27.00	33.65
C3030WV-2x11P	30.00	36.65
C3030WV-2x12P	33.00	39.65

Unit: mm



### C3030WV-S-2






3.00mm pitch 180° Dual Row Wafer-SMT TYPE

#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: LCP, UL94V-0
- \*Mates with CJT C3030HF series dual row Housing
- \*Color: Black

Ordering Information:  
C3030WV-S-2xXP - \*  
1 2

1. Part No.
2. Finish  
(blank) : Tin over Nickel  
G : Gold over Nickel



Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030WV-S-2x1P	-----	6.65	11.20
C3030WV-S-2x2P	3.00	9.65	14.20
C3030WV-S-2x3P	6.00	12.65	17.20
C3030WV-S-2x4P	9.00	15.65	20.20
C3030WV-S-2x5P	12.00	18.65	23.20
C3030WV-S-2x6P	15.00	21.65	26.20
C3030WV-S-2x7P	18.00	24.65	29.20
C3030WV-S-2x8P	21.00	27.65	32.20
C3030WV-S-2x9P	24.00	30.65	35.20
C3030WV-S-2x10P	27.00	33.65	38.20
C3030WV-S-2x11P	30.00	36.65	41.20
C3030WV-S-2x12P	33.00	39.65	44.20

Unit: mm





### C3030WR-2



3.00mm pitch 90° Dual Row Wafer With Foot

#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: Nylon 66, UL94V-0
- \*Mates with CJT C3030HF series dual row Housing
- \*Color: Black

#### Ordering Information:

- C3030WR-2xXP - \*  
 1                      2  
 1. Part No.  
 2. Finish  
 (blank) : Tin over Nickel  
 G : Gold over Nickel



#### Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
C3030WR-2x1P	-----	6.85
C3030WR-2x2P	3.00	9.85
C3030WR-2x3P	6.00	12.85
C3030WR-2x4P	9.00	15.85
C3030WR-2x5P	12.00	18.85
C3030WR-2x6P	15.00	21.85
C3030WR-2x7P	18.00	24.85
C3030WR-2x8P	21.00	27.85
C3030WR-2x9P	24.00	30.85
C3030WR-2x10P	27.00	33.85
C3030WR-2x11P	30.00	36.85
C3030WR-2x12P	33.00	39.85

Unit: mm

### C3030WR-F-2



3.00mm pitch 90° Dual Row Wafer With Foot

#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: Nylon 66, UL94V-0
- \*Mates with CJT C3030HF series dual row Housing
- \*Color: Black

#### Ordering Information:

- C3030WR-F-2xXP - \*  
 1                      2  
 1. Part No.  
 2. Finish  
 (blank) : Tin over Nickel  
 G : Gold over Nickel



#### Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030WR-F-2x1P	-----	6.65	4.30
C3030WR-F-2x2P	3.00	9.65	7.30
C3030WR-F-2x3P	6.00	12.65	10.30
C3030WR-F-2x4P	9.00	15.65	13.30
C3030WR-F-2x5P	12.00	18.65	16.30
C3030WR-F-2x6P	15.00	21.65	19.30
C3030WR-F-2x7P	18.00	24.65	22.30
C3030WR-F-2x8P	21.00	27.65	25.30
C3030WR-F-2x9P	24.00	30.65	28.30
C3030WR-F-2x10P	27.00	33.65	31.30
C3030WR-F-2x11P	30.00	36.65	34.30
C3030WR-F-2x12P	33.00	39.65	37.30

Unit: mm






### C3030WR-S-2

3.00mm pitch 90° Dual Row Wafer-SMT TYPE

#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: LCP, UL94V-0
- \*Mates with CJT C3030HF series dual row Housing
- \*Color: Black

Ordering Information:  
C3030WR-S-2xXP - \*  
1 2  
1. Part No.  
2. Finish  
(blank) : Tin over Nickel  
G : Gold over Nickel





P.C.B LAYOUT

Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030WR-S-2x1P	-----	6.65	11.20
C3030WR-S-2x2P	3.00	9.65	14.20
C3030WR-S-2x3P	6.00	12.65	17.20
C3030WR-S-2x4P	9.00	15.65	20.20
C3030WR-S-2x5P	12.00	18.65	23.20
C3030WR-S-2x6P	15.00	21.65	26.20
C3030WR-S-2x7P	18.00	24.65	29.20
C3030WR-S-2x8P	21.00	27.65	32.20
C3030WR-S-2x9P	24.00	30.65	35.20
C3030WR-S-2x10P	27.00	33.65	38.20
C3030WR-S-2x11P	30.00	36.65	41.20
C3030WR-S-2x12P	33.00	39.65	44.20

Unit: mm






### C3030WR-S-F-2

3.00mm pitch 90° Dual Row Wafer-SMT TYPE

#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: LCP, UL94V-0
- \*Mates with CJT C3030HF series dual row Housing
- \*Color: Black

Ordering Information:  
C3030WR-S-F-2xXP - \*  
1 2  
1. Part No.  
2. Finish  
(blank) : Tin over Nickel  
G : Gold over Nickel





P.C.B LAYOUT

Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030WR-S-F-2x1P	-----	6.65	11.20
C3030WR-S-F-2x2P	3.00	9.65	14.20
C3030WR-S-F-2x3P	6.00	12.65	17.20
C3030WR-S-F-2x4P	9.00	15.65	20.20
C3030WR-S-F-2x5P	12.00	18.65	23.20
C3030WR-S-F-2x6P	15.00	21.65	26.20
C3030WR-S-F-2x7P	18.00	24.65	29.20
C3030WR-S-F-2x8P	21.00	27.65	32.20
C3030WR-S-F-2x9P	24.00	30.65	35.20
C3030WR-S-F-2x10P	27.00	33.65	38.20
C3030WR-S-F-2x11P	30.00	36.65	41.20
C3030WR-S-F-2x12P	33.00	39.65	44.20

Unit: mm








### C3030HFB-2

3.00mm pitch Dual Row Housing

#### Reference Informations:

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT C3030F series Terminal
- \*Mates with CJT C3030HMB series Dual Row Housing
- C3030WVB,C3030WRB Series Dual Row Wafer
- \*Color:Black



#### Ordering Information & Dimensions:

PART NO.	Dimensions			
	A	B	C	D
C3030HFB-2x2P	24.60	3.00	13.46	22.10
C3030HFB-2x3P	27.70	6.00	16.46	25.10
C3030HFB-2x4P	30.70	9.00	19.46	28.10
C3030HFB-2x5P	33.80	12.00	22.46	31.10
C3030HFB-2x6P	36.80	15.00	25.46	34.10
C3030HFB-2x7P	39.90	18.00	28.46	37.10
C3030HFB-2x8P	42.90	21.00	31.46	40.10
C3030HFB-2x9P	46.00	24.00	34.46	43.10
C3030HFB-2x10P	49.00	27.00	37.46	46.10
C3030HFB-2x11P	51.80	30.00	40.46	49.10
C3030HFB-2x12P	54.90	33.00	43.46	52.10






Unit: mm

### C3030HMB-2

3.00mm pitch Dual Row Housing

#### Reference Informations:

- \*Material:Nylon 66,UL94V-0
- \*Suitable CJT C3030M series Terminal
- \*Mates with CJT C3030HFB series Dual Row Housing
- C3030HFWV,C3030HFWR Dual Row Receptacle Header
- \*Color:Black



#### Ordering Information & Dimensions:

PART NO.	Dimensions			
	A	B	C	D
C3030HMB-2x2P	22.84	3.00	14.85	20.85
C3030HMB-2x3P	25.84	6.00	17.85	23.85
C3030HMB-2x4P	28.84	9.00	20.85	26.85
C3030HMB-2x5P	31.84	12.00	23.85	29.85
C3030HMB-2x6P	34.84	15.00	26.85	32.85
C3030HMB-2x7P	37.84	18.00	29.85	35.85
C3030HMB-2x8P	40.84	21.00	32.85	38.85
C3030HMB-2x9P	43.84	24.00	35.85	41.85
C3030HMB-2x10P	46.84	27.00	38.85	44.85
C3030HMB-2x11P	49.84	30.00	41.85	47.85
C3030HMB-2x12P	52.84	33.00	44.85	50.85

Unit: mm

### C3030HFWV-2




3.00mm pitch Dual Row Receptacle Header

#### Reference Informations:


- \*Material:LCP,UL94V-0
- \*Mates with CJT C3030HMB series Dual Row Housing C3030WVB,C3030WRB Series Dual Row Wafer
- \*Color:Black

Ordering Information:  
C3030HFWV-2xXP - \*\*  
1 2


- 1.Part No.
- 2.Finish:  
(blank):Tin over Nickel  
G:Gold over Nickel




P.C.B LAYOUT



2x3~2x12P



2x2P



#### Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030HFWV-2x2P	3.00	12.00	9.00
C3030HFWV-2x3P	6.00	15.00	12.00
C3030HFWV-2x4P	9.00	18.00	15.00
C3030HFWV-2x5P	12.00	21.00	18.00
C3030HFWV-2x6P	15.00	24.00	21.00
C3030HFWV-2x7P	18.00	27.00	24.00
C3030HFWV-2x8P	21.00	30.00	27.00
C3030HFWV-2x9P	24.00	33.00	30.00
C3030HFWV-2x10P	27.00	36.00	33.00
C3030HFWV-2x11P	30.00	39.00	36.00
C3030HFWV-2x12P	33.00	42.00	39.00


Unit: mm

### C3030HFWR-2

3.00mm pitch Dual Row Receptacle Header

#### Reference Informations:




- \*Material:LCP,UL94V-0
- \*Mates with CJT C3030HMB series Dual Row Housing,C3030WVB,C3030WRB Series Dual Row Wafer
- \*Color:Black




P.C.B LAYOUT

Ordering Information:  
C3030HFWR-2xXP - \*\*  
1 2


- 1.Part No.
- 2.Finish:  
(blank):Tin over Nickel  
G:Gold over Nickel




2x3P



2x2P



2x4~2x12P



#### Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030HFWR-2x2P	3.00	6.70	---
C3030HFWR-2x3P	6.00	9.70	---
C3030HFWR-2x4P	9.00	12.70	6.00
C3030HFWR-2x5P	12.00	15.70	9.00
C3030HFWR-2x6P	15.00	18.70	12.00
C3030HFWR-2x7P	18.00	21.70	15.00
C3030HFWR-2x8P	21.00	24.70	18.00
C3030HFWR-2x9P	24.00	27.70	21.00
C3030HFWR-2x10P	27.00	30.70	24.00
C3030HFWR-2x11P	30.00	33.70	27.00
C3030HFWR-2x12P	33.00	36.70	30.00

Unit: mm

### C3030WVB-2






3.00mm pitch Dual Row 180° Wafer

#### Reference Informations:

- \*Material: Pin: Brass/Tin over Nickel  
Insulator: Nylon 66, UL94-V0
- \*Mates with CJT C3030HFB Series Dual Row Housing  
C3030HFWV, C3030HFWR Dual Row Receptacle Header
- \*Color: Black

#### Ordering Information:

- C3030WVB-2xXP - \*\*
- |   |   |
|---|---|
| 1 | 2 |
|---|---|
- Part No.
  - Finish:  
(blank): Tin over Nickel  
G: Gold over Nickel



#### Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
C3030WVB-2x2P	3.00	13.00
C3030WVB-2x3P	6.00	16.00
C3030WVB-2x4P	9.00	19.00
C3030WVB-2x5P	12.00	22.00
C3030WVB-2x6P	15.00	25.00
C3030WVB-2x7P	18.00	28.00
C3030WVB-2x8P	21.00	31.00
C3030WVB-2x9P	24.00	34.00
C3030WVB-2x10P	27.00	37.00
C3030WVB-2x11P	30.00	40.00
C3030WVB-2x12P	33.00	43.00

Unit: mm

### C3030WRB-2







3.00mm pitch Dual Row 90° Wafer

#### Reference Informations:






- \*Material: Pin: Brass/Tin over Nickel  
Terminal positioning strip: Mylar(Natural)  
Insulator: Nylon 66, UL94-V0
- \*Mates with CJT C3030HFB Series Dual Row Housing  
C3030HFWV, C3030HFWR Dual Row Receptacle Header
- \*Color: Black

#### Ordering Information:

- C3030WRB-2xXP - \*\*
- |   |   |
|---|---|
| 1 | 2 |
|---|---|
- 1.Part No.
  - 2.Finish:
  - (blank): Tin over Nickel
  - G: Gold over Nickel



P.C.B LAYOUT



2x4~2x12P  
P.C.B LAYOUT

#### Ordering Information & Dimensions:

PART NO.	Dimensions		
	A	B	C
C3030WRB-2x2P	3.00	13.00	---
C3030WRB-2x3P	6.00	16.00	---
C3030WRB-2x4P	9.00	19.00	4.68
C3030WRB-2x5P	12.00	22.00	7.68
C3030WRB-2x6P	15.00	25.00	10.68
C3030WRB-2x7P	18.00	28.00	13.68
C3030WRB-2x8P	21.00	31.00	16.68
C3030WRB-2x9P	24.00	34.00	19.68
C3030WRB-2x10P	27.00	37.00	22.68
C3030WRB-2x11P	30.00	40.00	25.68
C3030WRB-2x12P	33.00	43.00	28.68

Unit: mm



### C3030WVC-2





3.00mm pitch Dual Row 180° Compliant Pin Interface Wafer

#### Reference Informations:

- \*Material:Pin:Brass/Tin over Nickel  
Insulator:LCP,UL94V-0
- \*Mates with CJT C3030HF series dual row Housing
- \*Color:Black

Ordering Information:  
C3030WVC-2xXP - \*  
1 2

- 1.Part No.
- 2.Finish  
(blank) : Tin over Nickel  
G : Gold over Nickel



Ordering Information & Dimensions:

PART NO.	Dimensions	
	A	B
C3030WVC-2x1P	-----	6.65
C3030WVC-2x2P	3.00	9.65
C3030WVC-2x3P	6.00	12.65
C3030WVC-2x4P	9.00	15.65
C3030WVC-2x5P	12.00	18.65
C3030WVC-2x6P	15.00	21.65
C3030WVC-2x7P	18.00	24.65
C3030WVC-2x8P	21.00	27.65
C3030WVC-2x9P	24.00	30.65
C3030WVC-2x10P	27.00	33.65
C3030WVC-2x11P	30.00	36.65
C3030WVC-2x12P	33.00	39.65

Unit: mm

