




型号: 12080  
尺寸:  $\varnothing 12$   
焦距: 8mm  
感应角度:  $35^\circ$   
感应距离: 10m



型号: 13250  
尺寸:  $\varnothing 13$   
焦距: 25mm  
感应角度:  $25^\circ$   
感应距离: 15m



型号: 20360  
尺寸:  $\varnothing 20$   
焦距: 36mm  
感应角度:  $20^\circ$   
感应距离: 22m



型号: 20200  
尺寸:  $\varnothing 20$   
焦距: 20mm  
感应角度:  $30^\circ$   
感应距离: 20m



型号: 22200  
尺寸:  $\varnothing 22$   
焦距: 20mm  
感应角度:  $30^\circ$   
感应距离: 22m




型号: 35202  
尺寸:  $\varnothing 35$   
焦距: 20mm  
感应角度:  $30^\circ$   
感应距离: 25m




型号: 22203  
尺寸:  $\varnothing 22$   
焦距: 20mm  
感应角度:  $45^\circ$   
感应距离: 15m



型号: 20280  
尺寸:  $\varnothing 20$   
焦距: 28mm  
感应角度:  $23^\circ$   
感应距离: 10m




型号: 1620  
尺寸:  $\varnothing 16.8$   
焦距: 20mm  
感应角度:  $30^\circ$   
感应距离: 20m



型号: 2220-251  
尺寸:  $\varnothing 22$   
焦距: 20mm  
感应角度:  $60^\circ$   
感应距离: 12m



型号: 2218  
尺寸:  $\varnothing 22$   
焦距: 18mm  
感应角度:  $45^\circ$   
感应距离: 15m



型号: 2224-03  
尺寸:  $\varnothing 21.9$   
焦距: 20mm  
感应角度:  $45^\circ$   
感应距离: 12m



型号: 008140  
尺寸:  $\varnothing 13.2 \times 5.3$   
焦距: 5.5mm  
感应角度:  $140^\circ$   
感应距离: 3-4m



型号: 008140-G  
尺寸:  $\varnothing 13 \times 10 \times 5.6$   
焦距: 5.5mm  
感应角度:  $140^\circ$   
感应距离: 3-4m



型号: 13120  
尺寸:  $\varnothing 13.5 \times 9.4$   
焦距: 6mm  
感应角度:  $120^\circ$   
感应距离: 4.5-5m



型号: 13120F-2  
尺寸:  $\varnothing 12.5 \times 10.6$   
焦距: 6mm  
感应角度:  $120^\circ$   
感应距离: 6-8m



型号: 13120F  
尺寸:  $\varnothing 14*10.4$   
焦距: 6mm  
感应角度:  $120^\circ$   
感应距离: 5-6m



型号: 011050  
尺寸:  $\varnothing 11.8*9.9$   
焦距: 5mm  
感应角度:  $120^\circ$   
感应距离: 5-6m



型号: 8120-1  
尺寸:  $\varnothing 13.1*7.2$   
焦距: 6mm  
感应角度:  $120^\circ$   
感应距离: 2m



型号: N0803-32  
尺寸:  $\varnothing 16*6$   
焦距: 6mm  
感应角度:  $120^\circ$   
感应距离: 4m




型号: 8006  
尺寸:  $10.9*7.14$   
焦距: 4mm  
感应角度:  $120^\circ$   
感应距离: 5m



型号: 8120-2  
尺寸:  $\varnothing 10.1*9$   
焦距: 5.2mm  
感应角度:  $80^\circ$   
感应距离: 5m



型号: 011050-G  
尺寸:  $\varnothing 11.8*9.73$   
焦距: 5mm  
感应角度:  $120^\circ$   
感应距离: 5-6m



型号: 8307-2  
尺寸:  $18.7*18.7*4$   
焦距: 12mm  
感应角度:  $70^\circ$   
感应距离: 4m



型号: 023101  
尺寸:  $\varnothing 23.4*11.5$   
焦距: 10.5mm  
感应角度:  $120^\circ$   
感应距离: 10m



型号: 8003-2F  
尺寸:  $\varnothing 25.3*12.5$   
焦距: 10.5mm  
感应角度:  $120^\circ$   
感应距离: 11m



型号: 8002-2W  
尺寸:  $23.3*23.3*14.7$   
焦距: 10.5mm  
感应角度:  $120^\circ$   
感应距离: 12m



型号: 8002-2  
尺寸:  $23.3*23.3*14.8$   
焦距: 10.5mm  
感应角度:  $120^\circ$   
感应距离: 11m



型号: 8002-1(孔)  
尺寸:  $23.5*23.5*19$   
焦距: 10.5mm  
感应角度:  $120^\circ$   
感应距离: 11m




型号: 023100  
尺寸:  $23.4*23.4*18.9$   
焦距: 10.5mm  
感应角度:  $120^\circ$   
感应距离: 10m



型号: 024120  
尺寸:  $23.5*23.5*17.2$   
焦距: 12mm  
感应角度:  $120^\circ$   
感应距离: 12m




型号: 028140  
尺寸:  $\varnothing 28*15$   
焦距: 15mm  
感应角度:  $120^\circ$   
感应距离: 12m



型号: Q23-X-2  
尺寸: 23.4\*23.4  
焦距: 10.5mm  
感应角度: 120°  
感应距离: 10m




型号: Q23-X-1  
尺寸: 23.4\*23.4  
焦距: 10.5mm  
感应角度: 120°  
感应距离: 10m




型号 018090-6-M  
尺寸:  $\Phi$ 18mm  
焦距: 9mm  
感应角度: 120°  
感应距离: 8m




型号: YY-0926  
尺寸:  $\Phi$ 17  
焦距: 9mm  
感应角度: 360°  
感应距离: 直径 5m



型号: HW-CM0.5-7  
尺寸: 26.75\*26.75  
焦距: 12.7mm  
感应角度: 360°  
感应距离: 直径 14.5m



型号: YY-1001  
尺寸:  $\Phi$ 17  
焦距: 6mm  
感应角度: 360°  
感应距离: 直径 12m




型号: YY-1003-45  
尺寸: 24\*24  
焦距: 12mm  
感应角度: 120°  
感应距离: 10m



型号: YY-01809-1  
尺寸: 17.8  
焦距: 9.44mm  
感应角度: 110°  
感应距离: 8m




型号: 13120F-4  
尺寸:  $\Phi$ 14.2  
焦距: 6mm  
感应角度: 120°  
感应距离: 6m



型号: YY-1102  
尺寸:  $\Phi$ 14  
焦距: 6mm  
感应角度: 130°  
感应距离: 6m



型号: YY-3518  
尺寸:  $\Phi$ 39.81  
焦距: 17.74mm  
感应角度: 160°  
感应距离: 10m




型号: YY-0515  
尺寸:  $\Phi$ 42.32  
焦距: 19.1mm  
感应角度: 360°  
感应距离: 直径 12m



型号: YY-D248  
尺寸:  $\Phi 38.6$   
焦距: 23mm  
感应角度:  $360^\circ$   
感应距离: 直径 12m




型号: YY-01  
尺寸:  $\Phi 21.6$   
焦距: 7mm  
感应角度:  $120^\circ$   
感应距离: 9m




型号: YY-W01  
尺寸: 25.6\*27  
焦距: 10.6mm  
感应角度:  $360^\circ$   
感应距离: 直径 8m




型号: YY-4900  
尺寸: 29\*16  
焦距: 6.5mm  
感应角度:  $110^\circ$   
感应距离: 7m



型号: YY-1104  
尺寸:  $\Phi 27$   
焦距: 8mm  
感应角度:  $90^\circ$   
感应距离: 9m



型号: YY-2308  
尺寸: 8.6\*23.5  
焦距: 7.6mm  
感应角度:  $120^\circ$   
感应距离: 7m



型号: YY-2312  
尺寸: 12\*23.5  
焦距: 10mm  
感应角度:  $80^\circ$   
感应距离: 5m



型号: YY-1022  
尺寸: 22\*10  
焦距: 10mm  
感应角度:  $80^\circ$   
感应距离: 5m



型号: YY-3925-20  
尺寸: 39\*24.8  
焦距: 20mm  
感应角度:  $40^\circ$   
感应距离: 16m




型号: YY-0709  
尺寸: 9\*11  
焦距: 6mm  
感应角度:  $100^\circ$   
感应距离: 5m



型号: YY2737  
尺寸: 38.29\*27.6  
焦距: 8mm  
感应角度:  $110^\circ$   
感应距离: 10m




型号: YY-2230  
尺寸: 29.74\*20.39  
焦距: 6mm  
感应角度:  $120^\circ$   
感应距离: 5m




型号: HD001-G  
尺寸: 33.99\*20.2  
焦距: 12mm  
感应角度:  $120^\circ$   
感应距离: 12m



型号: DJ-23  
尺寸:  $\Phi 22*8.8$   
焦距: 10mm  
感应角度:  $120^\circ$   
感应距离: 12m




型号: 2915  
尺寸: 28.7\*21.7\*15  
焦距: 10mm  
感应角度: 120 °  
感应距离: 8m



型号: 3517  
尺寸: 39.2\*17.7  
焦距: 15mm  
感应角度: 120°  
感应距离: 10m



型号: 8308-8G  
尺寸: 10.4\*9.5  
焦距: 4mm  
感应角度: 84 °  
感应距离: 5m



型号: SB2512  
尺寸: 25.5\*12.5  
焦距: 11mm  
感应角度: 90°  
感应距离: 11m



型号: YY5528  
尺寸: 55\*28.8  
焦距: 25mm  
感应角度: 140°  
感应距离: 12m



型号: 7709-12  
尺寸: 17.8\*13.94  
焦距: 10mm  
感应角度: 120°  
感应距离: 10m




型号: 13120F-3  
尺寸:  $\phi$  14\*10.4  
焦距: 6mm  
感应角度: 120°  
感应距离: 8m



型号: 01809-2  
尺寸: 17.8\*11.95  
焦距: 9mm  
感应角度: 120°  
感应距离: 8m



型号: 7707-3A  
尺寸: 77.4\*36.2  
焦距: 25mm  
感应角度: 150°  
感应距离: 16m



型号: 8605-3G  
尺寸:  $\phi$  44.5\*12.2  
焦距: 15mm 高 3M  
感应角度: 360°  
感应直径: 16m



型号: N0803-32-4  
尺寸:  $\phi$  15.7\*7.81  
焦距: 6mm  
感应角度: 120°  
感应距离: 8m




型号: S-23115  
尺寸:  $\phi$  23.4\*18.3  
焦距: 10.5mm  
感应角度: 360°  
感应距离: 半径 5.5m




型号: 8003-4  
尺寸:  $\phi 23.2 \times 18.8$   
焦距: 10mm  
感应角度:  $120^\circ$   
感应距离: 10m



型号: YY-3015  
尺寸:  $\phi 34 \times 15$   
焦距: 15mm  
感应角度:  $135^\circ$   
感应距离: 12m



型号: YY-6725  
尺寸:  $\phi 69.6 \times 71.3$   
焦距: 20mm  
感应角度:  $360^\circ$   
感应距离: 6m



型号: YY-6030  
尺寸:  $\phi 63 \times 64.49$   
焦距: 29.8mm  
感应角度:  $360^\circ$   
感应距离: 6m



型号: YY-1715  
尺寸:  $\phi 17$   
焦距: 6mm  
感应角度:  $360^\circ$   
感应距离: 直径 10m




型号: X-23115  
尺寸:  $\phi 25.5$   
焦距: 10.5mm  
感应角度:  $360^\circ$   
感应距离: 半径 10m



型号: YY-2120  
尺寸:  $\phi 28$   
焦距: 10mm  
感应角度:  $360^\circ$   
感应距离: 6m



型号: 018090-LW  
尺寸:  $\phi 18.08 \times 13.94$   
焦距: 9mm  
感应角度:  $140^\circ$   
感应距离: 半径 8m




型号: 023115-25  
尺寸:  $\phi 26 \times 17.2$   
焦距: 11.5mm  
感应角度:  $120^\circ$   
感应距离: 半径 10m




型号: 8120-5BL  
尺寸:  $\phi 18.08 \times 6.67$   
焦距: 8mm  
感应角度:  $360^\circ$   
感应距离: 直径 7m




型号: 7709-4  
尺寸:  $\phi 23.7 \times 12.9$   
焦距: 11mm  
感应角度:  $120^\circ$   
感应距离: 10m



型号: 8003-2F-X  
尺寸:  $25.5 \times 12.2$   
焦距: 10.5mm  
感应角度:  $120^\circ$   
感应距离: 12m



型号: 023100 去腿  
尺寸: 23.4\*23.4\*18.9  
焦距: 10.5mm  
感应角度: 120°  
感应距离: 10m




型号: 024120 去腿  
尺寸: 23.5\*23.5\*17.2  
焦距: 12mm  
感应角度: 120°  
感应距离: 12m



型号: 9002-1.7  
尺寸:  $\varnothing 24*20$   
焦距: 12mm  
感应角度: 120°  
感应距离: 9m



型号: 8005-1  
尺寸:  $\varnothing 23*16.7$   
焦距: 11mm  
感应角度: 120°  
感应距离: 10m



型号: 9002-1  
尺寸:  $\varnothing 23.5*16.7$   
焦距: 12mm  
感应角度: 120°  
感应距离: 9m



型号: NL-02  
尺寸: 23.3\*19  
焦距: 11.6mm  
感应角度: 120°  
感应距离: 10m



型号: 8003-1  
尺寸:  $\varnothing 22.7*18.6$   
焦距: 10.5mm  
感应角度: 120°  
感应距离: 10m



型号: 8005-2  
尺寸:  $\varnothing 23*19.7$   
焦距: 11mm  
感应角度: 120°  
感应距离: 10m




型号: 7709-1W  
尺寸:  $\varnothing 21*17.2$   
焦距: 7.6mm  
感应角度: 110°  
感应距离: 12m



型号: 7709-2  
尺寸:  $\varnothing 17*9$   
焦距: 6mm  
感应角度: 120°  
感应距离: 8m



型号: 7709-1  
尺寸:  $\varnothing 20.7*16.9$   
焦距: 7.6mm  
感应角度: 120°  
感应距离: 10m



型号: 8308-7  
尺寸: 12.8\*14  
焦距: 7.5mm  
感应角度: 90°  
感应距离: 8m



型号: 2134-1  
尺寸: 26.8\*15\*17.1  
焦距: 7.5mm  
感应角度: 120°  
感应距离: 5m



型号: 2136-1  
尺寸: 23.8\*16.3\*13.1  
焦距: 7.5mm  
感应角度: 120°  
感应距离: 5m



型号: 2135-1  
尺寸: 25\*15\*17  
焦距: 7.5mm  
感应角度: 120°  
感应距离: 6m



型号: AL23  
尺寸: 34.5\*20\*10.5  
焦距: 20mm  
感应角度: 水平 120°  
感应距离: 10m




型号: 8308-6  
尺寸: 13.6\*15.5  
焦距: 9.6mm  
感应角度: 90°  
感应距离: 6m



型号: 8308-2  
尺寸:  $\varnothing$  11.5\*14.5  
焦距: 6mm  
感应角度: 90°  
感应距离: 5m




型号: 018090  
尺寸:  $\varnothing$  17.8\*13.94  
焦距: 9mm  
感应角度: 120°  
感应距离: 8m



型号: 023115  
尺寸:  $\varnothing$  26\*17.3  
焦距: 11.5mm  
感应角度: 120°  
感应距离: 12m




型号: 4/1 球  
尺寸: 52.6\*31\*23.1\*29  
焦距: 30mm  
感应角度: 100°  
感应距离: 10m



型号: 8605-2  
尺寸:  $\varnothing$  44.5\*12.2  
焦距: 15mm  
感应角度: 120°  
感应距离: 10m



型号: 8102-4  
尺寸:  $\varnothing$  43.1\*4.5  
焦距: 15mm 高 5M  
感应角度: 360°  
感应直径: 10-12m




型号: 8102-2  
尺寸:  $\varnothing$  49\*2.6  
焦距: 15mm  
感应角度: 360°  
感应距离: 7m




型号: 8605-5  
尺寸:  $\varnothing$  45.7\*12.4  
焦距: 15mm 高 3M  
感应角度: 360°  
感应直径: 10m




型号: 8605-1  
尺寸:  $\varnothing$  43\*12.4  
焦距: 15mm 高 3M  
感应角度: 360°  
感应直径: 10m




型号: 8605-3  
尺寸:  $\varnothing$  44.5\*12.2  
焦距: 15mm  
感应角度: 100°  
感应距离: 12m



型号: 8603-6  
尺寸:  $\varnothing$  45\*11  
焦距: 17.5mm  
感应角度: 100°  
感应距离: 14m




型号: 8603-4  
尺寸:  $\varnothing$  45 \* 11  
焦距: 17.5mm  
感应角度: 100°  
感应距离: 14m




型号: 8604-5  
尺寸:  $\varnothing$  52.5\*7.9  
焦距: 19mm 高 2.5M  
感应角度: 360°  
感应直径: 14m






型号: 8603-3  
尺寸:  $\varnothing 45.9 \times 11.4$   
焦距: 17.5mm 高 3M  
感应角度:  $360^\circ$   
感应直径: 12m



型号: 8605-3W  
尺寸:  $\varnothing 43.6 \times 11.4$   
焦距: 15mm 高 3M  
感应角度:  $360^\circ$   
感应距离: 10m



型号: 8605-2B  
尺寸:  $\varnothing 35.7 \times 11.5$   
焦距: 15mm  
感应角度:  $120^\circ$   
感应距离: 10m



型号: 8603-4A  
尺寸:  $\varnothing 35.6 \times 11$   
焦距: 17.5mm  
感应角度:  $120^\circ$   
感应距离: 14m




型号: Q10050  
尺寸:  $\varnothing 100 \times 58$   
焦距: 50mm 3M  
感应角度:  $360^\circ$   
感应直径: 12m




型号: 四联探头  
尺寸:  $76.6 \times 76.6 \times 33.8$   
焦距: 30mm 高 8M  
感应角度:  $360^\circ$   
感应直径: 26m



型号: Q70  
尺寸:  $\varnothing 70 \times 35$   
焦距: 35mm 高 3.5M  
感应直径: 10M



型号: 0512H  
尺寸:  $60 \times 52$   
焦距: 31mm  
感应角度:  $100^\circ$   
感应距离: 12m



型号: 7803-1  
尺寸:  $39 \times 25$   
焦距: 20mm  
感应角度:  $90^\circ$   
感应距离: 10m



型号: 7805-1  
尺寸:  $57 \times 36$   
焦距: 22mm  
感应角度:  $100^\circ$   
感应距离: 10m



型号: 7809-5  
尺寸:  $43.3 \times 24.5$   
焦距: 25mm  
感应角度:  $100^\circ$   
感应距离: 10m




型号: 8719-A  
尺寸:  $53.5 \times 31$   
焦距: 25mm  
感应角度:  $90^\circ$   
感应距离: 10m




型号: BV-100DP  
尺寸:  $43.2 \times 19.7$   
焦距: 30mm  
感应角度:  $25^\circ$   
感应距离: 12m




型号: SIR 650  
尺寸:  $46 \times 20$   
焦距: 30mm  
感应角度:  $25^\circ$   
感应距离: 12m




型号: YY-AA-V1  
尺寸: 42.6\*61  
焦距: 30.5mm  
感应角度: 155°  
感应距离: 15m




型号: YY-EWA-V2  
尺寸: 42.6\*61  
焦距: 30.5mm  
感应角度: 140°  
感应距离: 15m




型号: YY-LR-V2  
尺寸: 42.6\*61  
焦距: 30.5mm  
感应角度: 154°  
感应距离: 28m




型号: YY-EWA-V3  
尺寸: 42.6\*61  
焦距: 30.5mm  
感应角度: 140°  
感应距离: 15m




型号: YY-DWA-V2  
尺寸: 42.6\*61  
焦距: 30.5mm  
感应角度: 101°  
感应距离: 9m




型号: YY-DWA-V1  
尺寸: 42.6\*61  
焦距: 30.5mm  
感应角度: 101°  
感应距离: 10M



型号: YY-AA-12-V1  
尺寸: 42.6\*61  
焦距: 30.5mm  
感应角度: 100°  
感应距离: 12m




型号: YY-6531  
尺寸: 63.3\*51.15  
焦距: 25mm  
感应角度: 120°  
感应距离: 半径 10m



型号: YY-3468  
尺寸: 34\*68  
焦距: 25mm  
感应角度: 120°  
感应距离: 25m




型号: YY-7526-25  
尺寸: 74.82\*25.7  
焦距: 25mm  
感应角度: 180°  
感应距离: 18m



型号: 8202-1  
尺寸: 38.2\*21.5  
焦距: 16mm  
感应角度: 120°  
感应距离: 12m




型号: 8526-1  
尺寸: 84.7\*25.6  
焦距: 23mm  
感应角度: 120°  
感应距离:




型号: 7707  
尺寸: 91.3\*39.5  
焦距: 25mm  
感应角度: 180°  
感应距离: 16m




型号: 13120F-5  
尺寸:  $\Phi 14$   
焦距: 6mm  
感应角度: 120°  
感应距离: 7m




型号: 7703-1  
尺寸: 61\*42.7  
焦距: 30.5mm  
感应角度: 100 °  
感应距离: 12m




型号: 7809-2  
尺寸: 56.3\*43.7  
焦距: 25mm  
感应角度: 100°  
感应距离: 12m



型号: SIR-650  
尺寸: 59.5\*39  
焦距: 30mm  
感应角度: 100 °  
感应距离: 12m



型号: SIR 650P  
尺寸: 59.5\*39  
焦距: 30mm  
感应角度: 120°  
感应距离: 12m



型号: 7708-1  
尺寸: 57.3\*44.6  
焦距: 29.7mm  
感应角度: 100°  
感应距离: 10m




型号: 7708-3  
尺寸: 58\*45  
焦距: 29.7mm  
感应角度: 90 °  
感应距离: 14m



型号: 7704-3  
尺寸: 56.7\*35.7  
焦距: 23mm  
感应角度: 110°  
感应距离: 12m



型号: 8719  
尺寸: 53.5\*34  
焦距: 25mm  
感应角度: 90 °  
感应距离: 10m




型号: 8203-1  
尺寸: 56\*44  
焦距: 25mm  
感应角度: 110°  
感应距离: 12m



型号: 614230  
尺寸: 60.7\*42.4  
焦距: 30.5mm  
感应角度: 90 °  
感应距离: 12m



型号: 8501-2G  
尺寸: 76\*36  
焦距: 21mm  
感应角度: 120°  
感应距离: 10m



型号: 7707-1A  
尺寸: 91.3\*39.5  
焦距: 25mm  
感应角度: 180°  
感应距离: 16m



型号: 8202  
尺寸: 62.5\*25  
焦距: 16mm  
感应角度: 120°  
感应距离: 12m



型号: 7707-5A  
尺寸: 73.8\*26.2  
焦距: 25mm  
感应角度: 180 °  
感应距离: 16m




型号: 5430  
尺寸: 54\*30  
焦距: 23mm  
感应角度: 110°  
感应距离: 15m



型号: 7707-B  
尺寸: 39.5\*85.3  
焦距: 25mm  
感应角度: 180°  
感应距离: 16m



型号：8308-2  
直径12.6mm  
高：14.3mm  
焦距：6 mm  
感应角度：90°  
感应距离：6 m




型号：8120-6  
直径：16.5mm  
半球直径：14.5mm  
焦距：6mm  
角度：70°  
距离：10m




型号：8120-11  
(8120B)  
直径：12.5  
高度：9.4  
焦距：6.6  
角度：100°  
距离：8m




型号：MK-7102  
外露直径：7mm  
焦距：3.6mm  
角度：90°  
距离：5m




型号：8309-1  
尺寸：46.5\*25.2  
焦距：20.6  
感应角度：110°  
感应距离：12m




型号：28207-2  
直径：28mm  
高度：7.2mm  
焦距：8mm  
角度：100°  
距离：8米



型号：8203-1  
尺寸：56\*44mm  
焦距：12mm  
角度：110°  
感应距离：12m



型号：7825  
尺寸：72\*62.5mm  
厚度：0.6mm  
角度：110°  
焦距：25mm  
距离：12m



型号：8702-1  
尺寸：149\*44mm  
焦距：23mm  
最大角度：270°  
最大感应距离：15m

深圳市晶创和立科技有限公司的所有菲涅尔透镜都可以做原色，乳白色，黑色。本公司也可根据客户要去为客户定制各种不同尺寸的菲涅尔透镜。欢迎咨询！